



# S6000 Series

Electrified Architectural Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

## ORDERING GUIDE

	TRIM FUNCTION				ELECTRIFICATION		
	01					E	
	02					EM	
	03			LENGTH		G	
	08			36		A	
	14			42		B	
				48			
S61	02	P	U	36	R	E	EK
S61		P	FINISH		R		EK
S62		F			L		GK
					LBR		SP
					LBRF		EKE
					OPTIONS		GKE
							TRIM

NOT REQUIRED

## EXAMPLES

S6101PU36E	Rim, Exit Only, Panic, 630, 36", ELR	1,664.00
S6101PU42E	Rim, Exit Only, Panic, 630, 42", ELR	1,718.00
S6101PU48E	Rim, Exit Only, Panic, 630, 48", ELR	1,772.00
S6101PU36G	Rim, Exit Only, Panic, 630, 36", ED	1,363.00
S6101PU36A	Rim, Exit Only, Panic, 630, 36", AL Battery Powered	1,315.00

S6000 CONFIGURATION 1 of 2



S61



S62



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

TYPE		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		<b>823.00</b>
S62	Surface Vertical Rod (SVR)		<b>1,249.00</b>

TRIM FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		<b>N/C</b>
02	Dummy Trim (No Cylinder Prep)		<b>N/C</b>
03	Key Retracts Latchbolt (Nightlatch)		<b>N/C</b>
08*	Key Locks/Unlocks Lever (Classroom)		<b>N/C</b>
14*	Lever Always Active (Passage)		<b>N/C</b>

\*Not applicable for use with S6000A or S6000B alarmed exit models.

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		<b>N/C</b>
F	Fire-Rated Device		<b>140.00</b>

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		<b>N/C</b>

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		<b>N/C</b>
42	42" Door Opening		<b>54.00</b>
48	48" Door Opening		<b>108.00</b>

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		<b>101.00</b>
L	Latch Status (LS)		<b>101.00</b>
LBR*	Less Bottom Rod (LBR), Panic		<b>N/C</b>
LBRF*	Less Bottom Rod (LBR), Fire-Rated		<b>N/C</b>

\*Available for S62 surface vertical rod devices only.

ELECTRIFICATION*		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging (ELR)		<b>841.00</b>
EM	Motorized Electric Latch Retraction & Dogging (ELR), External Module		<b>903.00</b>
G	Electric Dogging (ED)		<b>540.00</b>
A	Alarmed Exit (AL), Battery Powered		<b>492.00</b>
B	Alarmed Exit (AL), Hardwired		<b>540.00</b>

\*Specify one electrification option only.

Continued on next page.

**COMPONENT CONSIDERATIONS**

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators  
Pages 147-148



Keypads & Readers  
Page 112-116



Power Transfer Devices  
Page 152



Power Controllers  
Pages 153-164



Door Controllers  
Page 165



Door Prop Alarms & Annunciators  
Page 168-169

S6000 CONFIGURATION 2 of 2

TRIM*	○○○○○○○●	ADD TO LIST
<b>EK**</b>	Eclipse Escutcheon (EE)	<b>293.00</b>
<b>GK**</b>	Galaxy Escutcheon (GE)	<b>293.00</b>
<b>SP***</b>	Saturn Escutcheon (SE)	<b>102.00</b>
<b>EKE****</b>	Electrified Eclipse Escutcheon	<b>670.00</b>
<b>GKE****</b>	Electrified Galaxy Escutcheon	<b>670.00</b>

\*Key cylinder not included, specify separately.

\*\* Available for 02, 03, 08 and 14 functions only.

\*\*\* Available for 02 and 03 functions only.

\*\*\*\* Available for 03 functions only.

**RELATED PRODUCTS**

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

<b>EK02U</b>	Replacement Trim, Eclipse Escutcheon, Dummy, 630	<b>334.00</b>
<b>EK03U</b>	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	<b>334.00</b>
<b>EK08U*</b>	Replacement Trim, Eclipse Escutcheon, Classroom, 630	<b>334.00</b>
<b>EK14U*</b>	Replacement Trim, Eclipse Escutcheon, Passage, 630	<b>334.00</b>
<b>GK02U</b>	Replacement Trim, Galaxy Escutcheon, Dummy, 630	<b>334.00</b>
<b>GK03U</b>	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	<b>334.00</b>
<b>GK08U*</b>	Replacement Trim, Galaxy Escutcheon, Classroom, 630	<b>334.00</b>
<b>GK14U*</b>	Replacement Trim, Galaxy Escutcheon, Passage, 630	<b>334.00</b>
<b>SP02U</b>	Replacement Trim, Saturn Escutcheon, Dummy, 630	<b>122.00</b>
<b>SP03U</b>	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	<b>122.00</b>
<b>EKE03U**</b>	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, 630	<b>826.00</b>
<b>EKE03ULS**</b>	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, LS, 630	<b>926.00</b>
<b>GKE03U**</b>	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, 630	<b>826.00</b>
<b>GKE03ULS**</b>	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, LS, 630	<b>926.00</b>
<b>CYL-6KDQ</b>	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	<b>57.00</b>
<b>CYL-6KAQ</b>	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	<b>57.00</b>
<b>RIM-CYL-KA***</b>	Rim Cylinder, 6-Pin, Keyed Alike	<b>43.00</b>
<b>ST1P</b>	Rim Strike, 1¾" Projection	<b>27.00</b>
<b>ST1F</b>	Rim Strike, 1¾" Projection, Fire-Rated	<b>27.00</b>
<b>ST2DF</b>	Double Door Rim Strike, 1¾" Projection	<b>62.00</b>
<b>ST2P</b>	Vertical Rod Top Strike, 2⅞" Projection	<b>25.00</b>
<b>ST2F</b>	Vertical Rod Top Strike, 1½" Projection, Fire-Rate	<b>25.00</b>
<b>ST28T</b>	Threshold Strike, ¾" Projection	<b>20.00</b>
<b>KR90F****</b>	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	<b>797.00</b>
<b>ST1MP</b>	Mullion Strike, 7/8" Projection	<b>87.00</b>
<b>ST1MF</b>	Mullion Strike, 7/8" Projection	<b>87.00</b>

\* Not applicable for use with S6000A or S6000B alarmed exit models.

\*\* Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

\*\*\* For EK03U, GK03U and SP03U trim only.

\*\*\*\* Key cylinder not included, order separately.